



- Diseases not included in this report were either rare or uncommon or only reported nationally (i.e. AIDS, Creutzfeldt-Jakob disease and Zika virus disease). For data on diseases not included refer to the ESR publications, Notifiable diseases in NZ: annual reports (https://surv.esr.cri.nz/surveillance/annual_surveillance.php)
- For lead absorption, chemical poisoning from the environment and hazardous substances, refer to Massey University's Centre for Public Health Research (<http://www.ehinz.ac.nz/our-projects/hazardous-substances/hsdirt-notification-tool/>).

— Canterbury *— South Canterbury — West Coast New Zealand


Campylobacteriosis




Cryptosporidiosis




Dengue




Gastroenteritis (acute - cause unknown)




Gastroenteritis (acute - food borne)




Giardiasis



Haemophilus influenzae type b




Hepatitis A




10 Year Trends: 2009-2018
 C&PH Notifiable Diseases
 Rates per 100,000 Population

— Canterbury *— South Canterbury — West Coast New Zealand

Hepatitis B




Hepatitis C




Hepatitis not otherwise specified




Invasive pneumococcal disease




Legionellosis




Leptospirosis



Listeriosis




Listeriosis - perinatal



10 Year Trends: 2009-2018
 C&PH Notifiable Diseases
 Rates per 100,000 Population

— Canterbury *— South Canterbury — West Coast New Zealand



10 Year Trends: 2009-2018
 C&PH Notifiable Diseases
 Rates per 100,000 Population

